



Sukan Industrial Marketing Private Limited

1st Floor, A 69/70 Shrenik Park Society, B.P.C. Road, Akota, Vadodara, Gujarat, INDIA - 390 020

Phone: 91 - 265 - 2354802, 6544802, Fax: 91 - 265 - 2337161 Mobile: 91 - 98240 28362

Email: info@sukanmarketing.com Url: www.sukanmarketing.com

Yuken Make Hydraulic Products

LOW NOISE HIGH PERFORMANCE FIXED DISPLACEMENT VANE PUMPS										
MODEL	FLOW @ 1500 rpm (lpm)		PRESSURE (kg/cm ²)		SPEED (rpm)		PORT CONNECTION BSP(F)			
	MIN	MAX	CONTINUOUS		MIN	MAX	S	P1	P2	
SINGLE PUMPS										
LOW NOISE FIXED DISPLACEMENT VANE PUMPS	PV2R 2		62	95	210	600	1800	1 1/4"	3/4"	-
	PV2R 3		112	172	210	600	1800	2"	1 1/4"	-
	PV2R 4		204	352	175	600	1800	3"	1 1/2"	-
	DOUBLE PUMP									
PV2R 23		HEAD END		210	600	1800	3"	1 1/4"	3/4"	
		62	95							
		SHAFT END								
		112	172							








Sukan Industrial Marketing Private Limited

1st Floor, A 69/70 Shrenik Park Society, B.P.C. Road, Akota, Vadodara, Gujarat, INDIA - 390 020

Phone: 91 - 265 - 2354802, 6544802, Fax: 91 - 265 - 2337161 Mobile: 91 - 98240 28362

Email: info@sukanmarketing.com Url: www.sukanmarketing.com

LOW NOISE, HIGH PERFORMANCE VARIABLE DISPLACEMENT PISTON PUMPS											
VARIABLE DISPLACEMENT PISTON PUMPS	AR 16		4	24	160	600	1800	FLANGE	3/4"	-	
	AR 22		6	33	160	600	1800	FLANGE	3/4"	-	
FIXED DISPLACEMENT VANE PUMPS											
MODEL			FLOW @ 1500 rpm (lpm)		PRESSURE (KG/CM ²)		SPEED (rpm)		PORT CONNECTION BSP (F)		
			MIN	MAX	CONTINUOUS	INTERMITTENT	MIN	MAX	S	P1	P2
FIXED DISPLACEMENT VANE PUMP	SINGLE PUMP										
	PVR 11		4	26	160	175	750	1800	3/4"	3/8"	
									THREADED		
	PVR 50		15	56	175	210	600	2000	1 1/4"	3/4"	
									FLANGE/ THREADED		
	PVR 150		70	170	175	210	600	2000	2"	1 1/4"	
FLANGE											






Sukan Industrial Marketing Private Limited

1st Floor, A 69/70 Shrenik Park Society, B.P.C. Road, Akota, Vadodara, Gujarat, INDIA - 390 020

Phone: 91 - 265 - 2354802, 6544802, Fax: 91 - 265 - 2337161 Mobile: 91 - 98240 28362

Email: info@sukanmarketing.com Url: www.sukanmarketing.com

DOUBLE PUMPS										
MODEL	FLOW @ 1500 rpm (lpm)	PRESSURE (KG/CM ²)		SPEED (rpm)	PORT CONNECTION BSP (F)	MODEL	FLOW @ 1500 rpm (lpm)	PRESSURE (KG/CM ²)		
PVR 1050		HEAD END		160	175	750	1800			
		4	26					1 1/2"	3/4"	3/8"
		SHAFT END		175	210			FLANGE		
		15	56							
PVR 50150		HEAD END		175	210	600	2000			
		15	56					2 1/2"	1 1/4"	3/4"
		SHAFT END						FLANGE		
		70	170							
VANE PUMPS FOR MOBILE APPLICATIONS										
SINGLE / DOUBLE PUMPS										
PVM 50 PVM150 PVM 50150		SMALL PUMP		175	210	600	2200			
15	56	2 1/2"	1 1/4"					3/4"		
LARGE PUMP		FLANGE								
70	170									

FIXED DISPLACEMENT VANE PUMP











Sukan Industrial Marketing Private Limited

1st Floor, A 69/70 Shrenik Park Society, B.P.C. Road, Akota, Vadodara, Gujarat, INDIA - 390 020

Phone: 91 - 265 - 2354802, 6544802, Fax: 91 - 265 - 2337161 Mobile: 91 - 98240 28362

Email: info@sukanmarketing.com Url: www.sukanmarketing.com

PRESSURE CONTROLS								
MODEL		MAX FLOW (lpm)	MAX PRESSURE (KG/CM ²)	MODEL		MAX FLOW (lpm)	MAX PRESSURE (KG/CM ²)	
PRESSURE CONTROLS	BG/BSG - 03/06/10 BT-06		100, 200, 400	250	YBT/ YBG - 01		4	250
			Pilot operated relief valve sub plate mounting – 3/8", 3/4", 1 1/4" Threaded – 3/4", solenoid uploading, vent restrictor option. Low min. Pr. type				Remote control relief valve threaded / sub plate, panel mounting 1/8"	
	YBT/ YBG - 02		20	140	CB5/B 5		15/30	350
			Direct acting relief valve threaded / sub plate panel mounting – 1/4"				Direct acting relief valve cartridge type threaded / sub plate mounting NG 6	
HCG - 06		125	210	RCG - 06		125	210	
		Counter balance/ sequence valve sub plate mounting 3/4"				Pressure reducing valve sub plate mounting 3/4"		
BUCG - 06 - 30		125	210	SG - 02		7	350	
		Uploading relief valve sub plate mounting 3/4"				Pressure Switch Sub plate Mounting – 1/4"		











Sukan Industrial Marketing Private Limited

1st Floor, A 69/70 Shrenik Park Society, B.P.C. Road, Akota, Vadodara, Gujarat, INDIA - 390 020

Phone: 91 - 265 - 2354802, 6544802, Fax: 91 - 265 - 2337161 Mobile: 91 - 98240 28362

Email: info@sukanmarketing.com Url: www.sukanmarketing.com

FLOW CONTROLS

FLOW CONTROLS											
FLOW CONTROLS	MODEL	MAX FLOW (lpm)				MAX PRESSURE(K G/CM ²)	MODEL	MAX FLOW (lpm)	MAX PRESSURE (KG/CM ²)		
	FLOW CONTROL V V						THROTTLE & CHECK VALVE				
	FG/FCG - 01/02/03		01	0.020	4 & 8	140	SRCT/G - 03 / 06		03	30lpm	210 KG/CM ²
		02	0.050	30	210	06			80lpm		
		03	0.200	125	KG/CM ²	Throttle & check valve 03 - inline type - 3/8" 06 - sub plate / inline type - 3/4"					
ZCG 03/06		03	30	210		UCF 1 G - 01/03		01	20	140	
		06	80	Deceleration valve sub plate mounting, 3/8", 3/4" with adj. needle valve							
Check Valves											
CIT - 02, 03, 06, 10		12, 30, 80, 200		210		CRG 03 / 06 / 10		30,100, 250		210, 210, 250	
		Inline check valve Inline Threaded, 1/4", 3/8", 3/4", 1 1/4"						Right angle check valve 3/8", 3/4", 1 1/4" Sub plate mounting			
CP * G - 06		125		250		LD * - 16, 25, 32, 40, 63 LB * - 16, 25, 32, 50, 63		130 - 2100 125 - 1200		315	
		Pilot operated check valve sub plate mounting 3/4" decompression type option						Cartridge logic valve directional & flow relief, solenoid control stroke adjustment vent restrictor option			



Sukan Industrial Marketing Private Limited

1st Floor, A 69/70 Shrenik Park Society, B.P.C. Road, Akota, Vadodara, Gujarat, INDIA - 390 020

Phone: 91 - 265 - 2354802, 6544802, Fax: 91 - 265 - 2337161 Mobile: 91 - 98240 28362

Email: info@sukanmarketing.com Url: www.sukanmarketing.com

DIRECTION CONTROLS VALVES								
DIRECTION CONTROL	MODEL		MAX FLOW (lpm)	MAX PRESSURE (Kg/cm ²)	MODEL		MAX FLOW (lpm)	MAX PRESSURE (Kg/cm ²)
	DSG-01-50 D		63	315	DSG-03-50 D		120	315
			Solenoid operated valve sub plate mounting - 1/4" AC/DC supply CETOP 3				Solenoid operated Valves Sub Plate Mounting 3/8" AC/DC Supply CETOP 5.	
	DSHG - 04/06/10		300, 500, 1100	315	DSHG-04/06-3C70		300, 500	315
			Solenoid Pilot operated VV Sub Plat Mounting 1/2", 3/4", 1 1/4" AC/DC Supply Pilot Choke Stroke Adjust option CETOP 7,8,10				Shock less Valve Solenoid Pilot operated Sub Plate Mounting 1/2", 3/4" AC/DC Supply with Pilot Choke & Stroke Adjustment.	
DMG - 01/03/06		35, 100, 500	250, 250, 315	DHG -04/06		300, 500	315	
		Manually operated Valve Sub Plate Mounting 1/4", 3/8", 3/4" CETOP 3, 5, 8				Pilot operated Valve Sub Plate Mounting 1/2", 3/4" Stroke Adjustor Pilot Choke option.		
DCG - 01/03		30, 100	210, 250	DSLG -01		16	315	
		Cam operated Sub Plate Mounting 1/4" & 3/8" CETOP 3 & 5				Poppet Type direction VV Sub Plate Mounting Valve 1/8" CETOP 3		







Sukan Industrial Marketing Private Limited

1st Floor, A 69/70 Shrenik Park Society, B.P.C. Road, Akota, Vadodara, Gujarat, INDIA - 390 020

Phone: 91 - 265 - 2354802, 6544802, **Fax:** 91 - 265 - 2337161 **Mobile:** 91 - 98240 28362

Email: info@sukanmarketing.com **Url:** www.sukanmarketing.com

'E' SERIES ELECTRO PROPORTIONAL CONTROL VALVES

MODEL		MAX FLOW (lpm)	MAX PRESSURE (Kg/cm2)	MODEL		MAX FLOW (lpm)	MAX PRESSURE (Kg/cm2)
EDG -01		2	250	EFBG-03		150	250
		Pilot Relief Valve Sub Plate Mounting - ¹ / ₈ " Safety Relief Valve option				Power saving flow control & relief valve sub plate mounting - ³ / ₈ " safety relief valve various flow, min. Pressure, back pressure control available.	
EBG-03/06/10		MAX FLOW (lpm)	MAX PRESSURE (Kg/cm2)	AMP -1040			
	100,200, 400		250		Amplifier for proportional control valve dc input type, dc 24v supply.		
	Relief valve sub plate - ³ / ₈ ", ³ / ₄ ", 1 ¹ / ₄ " safety relief valve option						